

DECLARATION OF PERFORMANCE

№ CPR 022576 TG A 5-0-000

1. Unique identification code of the product-type:

| | |
|---|---|
| <p><i>Adjusting Bracket Technogips Pro</i> <i>Rotary Hanger, Moon type Technogips Pro</i> <i>Rotary Hanger, Anchor type Technogips Pro</i> <i>Attic Hanger, Anchor type Technogips Pro</i> <i>Nonius Hanger, bottom part Technogips Pro</i> <i>Nonius hanger, upper part Technogips Pro</i> <i>Nonius hanger, bracket Technogips Pro</i> <i>CD Cross Connector Technogips Pro</i> <i>CD Anchor Bracket Technogips Pro</i> <i>CD Longitudinal connector Technogips Pro</i> <i>Wire with Hook Technogips Pro</i> <i>Wire with Eye Technogips Pro</i></p> | <p><i>Double Spring Technogips Pro</i> <i>Nonius Hanger Upper Part Super Premium C5 Technogips Pro</i> <i>Nonius Hanger Bottom Part Super Premium C5 Technogips Pro</i> <i>Bracket for Nonius Hanger Super Premium C5 Technogips Pro</i> <i>Adjusting Bracket 125 Super Premium C5 Technogips Pro</i> <i>CD Connector Super Premium C5 Technogips Pro</i> <i>CD Cross Connector Super Premium C5 Technogips Pro</i></p> |
|---|---|

2. Type, batch or serial number or any other element allowing identification of the construction product: *Type, batch number and date of manufacture are shown on the package*

3. Intended use in accordance with the applicable harmonized technical specification: *Metal components for dry construction*

4. Name, registered trade mark and contact address of the manufacturer: *Trade mark: Technogips Pro | Formatt Building Products Ltd., Contact address: Dospat 2 St, Sofia 1606*

5. Name and contact address of the authorized representative: *Not applicable*

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V of Regulation (EC) 305/2011: *System 4*

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard (hEN): *The manufacturer has carried out an initial type test in accordance with EN 13964:2014. The manufacturer is ISO 9001:2015 certified and has an implemented internal production control system.*

8. In case of declaration of performance concerning a construction product for which European Technical Assessment has been issued: *Not applicable*

9. Declared performance:

| Product | Declared performance | | | | | Harmonized technical specification |
|-----------------------------------|----------------------|---------------------------|-------------------------|--|---------------------------|------------------------------------|
| | Thickn ess, mm | Admissible load admF [kN] | Recommended load F [kN] | Load-bearing capacity class [kN] DIN 18168-2 | Class of reaction to fire | |
| <i>Adjusting Bracket</i> | <i>0.8</i> | <i>0.963</i> | <i>0.400</i> | <i>0.400</i> | <i>A1</i> | <i>EN 13964:2014</i> |
| <i>Rotary Hanger, Moon type</i> | <i>0.8</i> | <i>0.306</i> | <i>0.250</i> | <i>0.250</i> | <i>A1</i> | <i>EN 13964:2014</i> |
| <i>Rotary Hanger, Anchor type</i> | <i>0.8</i> | <i>0.420</i> | <i>0.250</i> | <i>0.250</i> | <i>A1</i> | <i>EN 13964:2014</i> |
| <i>Attic Hanger, Anchor type</i> | <i>0.8</i> | <i>0.393</i> | <i>0.25</i> | <i>0.25</i> | <i>A1</i> | <i>EN 13964:2014</i> |
| <i>Nonius Hanger, bottom part</i> | <i>0.8</i> | <i>0.426</i> | <i>0.400</i> | <i>0.400</i> | <i>A1</i> | <i>EN 13964:2014</i> |
| <i>Nonius hanger, upper part</i> | <i>0.8</i> | <i>0.426</i> | <i>0.400</i> | <i>0.400</i> | <i>A1</i> | <i>EN 13964:2014</i> |
| <i>Nonius hanger, bracket</i> | <i>2.5</i> | <i>0.426</i> | <i>0.400</i> | <i>0.400</i> | <i>A1</i> | <i>EN 13964:2014</i> |

| Product | Declared performance | | | | | Harmonized technical specification |
|--|----------------------|---------------------------|-------------------------|--|---------------------------|------------------------------------|
| | Thickness, mm | Admissible load admF [kN] | Recommended load F [kN] | Load-bearing capacity class [kN] DIN 18168-2 | Class of reaction to fire | |
| CD Cross Connector | 0.80 | 0.528 | 0.400 | 0.400 | A1 | EN 13964:2014 |
| CD Anchor Bracket | 0.80 | 0.438 | 0.250 | 0.250 | A1 | EN 13964:2014 |
| CD Longitudinal connector | 0.5 | NPD | NPD | NPD | A1 | EN 13964:2014 |
| Wire with Hook | 4.00 | 0.462 | 0.400 | 0.400 | A1 | EN 13964:2014 |
| Wire with Eye | 4.00 | 0.462 | 0.400 | 0.400 | A1 | EN 13964:2014 |
| Double Spring | 0.60 | 0.462 | 0.400 | 0.400 | A1 | EN 13964:2014 |
| Nonius Hanger Upper Part Super Premium C5 | 1.0 | >0.400 | 0.400 | 0.400 | A1 | EN 13964:2014 |
| Nonius Hanger Bottom Part Super Premium C5 | 1.0 | >0.400 | 0.400 | 0.400 | A1 | EN 13964:2014 |
| Bracket for Nonius Hanger Super Premium C5 | 2.5 | >0.400 | 0.400 | 0.400 | A1 | EN 13964:2014 |
| Adjusting Bracket 125 Super Premium C5 | 0.9 | >0.400 | 0.400 | 0.400 | A1 | EN 13964:2014 |
| CD Connector Super Premium C5 | 0.5 | >0.400 | 0.400 | 0.400 | A1 | EN 13964:2014 |
| CD Cross Connector Super Premium C5 | 0.8 | >0.400 | 0.400 | 0.400 | A1 | EN 13964:2014 |

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

General Manager:

/ Petar Kaloyanov /



Sofia, Bulgaria | Date: 01.03.2021